

AgraActivator™ 5

Reg. No. K10333, Act/Wet No.36 of/van 1947

A POWDER PLANT NUTRIENT / 'N POEIER PLANTVOEDINGSTOF

A foliar fertilizer containing macro and micro-nutrients.

'n Blaarvoedingsproduk wat makro- en mikro-elemente bevat.

FERTILIZER GROUP 1 / MISSTOF GROEP 1

ACTIVE INGREDIENTS / AKTIEWE BESTANDEDELE

- N: 140.4 g/kg
- P: 118 g/kg
- K: 146.6 g/kg
- B - 27.2 g/kg
- Mo - 5.5 g/kg

NET MASS **20 kg** NETTO MASSA

Batch number / Date of manufacturing:
Lot nommer / Datum van vervaardiging:

REGISTRATION HOLDER / DISTRIBUTOR
REGISTRASIEHOUER / VERSPREIDER
AgraForUm South Africa (Pty) Ltd, Reg. no: 2004/022326/07
P.O. Box 38910, Langenhoven Park, Bloemfontein, 9330

PRECAUTION

- Always wear appropriate personal protective equipment.
- Keep out of reach of children.
- Do not store mixed product.
- Product contains traces of Nickel (Ni).

GENERAL

- AgraActivator™ 5 is a fertilizer intended as a supplement to normal fertilizer programs.
- First dissolve the product in clean container with water before addition to spray tank.
- Foliar spraying should preferably be done during the cooler periods of the day (ideal 20 °C; < 40°C), as well as when the relative humidity is on its highest.
- Wind speed should be < 8 km/h.
- Do not apply to plants when plants are wilted or under stress.
- Please use a buffering agent to buffer pH between 5 and 6.
- Please use a suitable water - soluble wetting agent and penetrant to improve wetting, sticking and penetrating properties.
- Try to use highest water volume possible per hectare. Aim to apply a 1% solution (maximum 2%) for foliar administrations.
- Preferable use wide angle hollow cone spray nozzles.
- An application before flowering or during fruit development could be beneficial if nutrient deficiencies are observed.

APPLICATION RATES

CROP	DOSAGE	REMARK
Row crops	Foliar spray 2-6 kg/ha (1-2% solution) Via irrigation system 5-20 kg/ha	Use minimum 200 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 400 L/ha). Apply at 3-8 leaf stage and repeat application as required (at least 2 weeks apart) based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.
Vegetable crops	Foliar spray 2-6 kg/ha (1-2% solution) Via irrigation system 5-20 kg/ha	Use minimum 300 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 400 L/ha). Apply at 3-8 leaf stage and repeat application as required (at least 2 weeks apart) based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.
Fruit tree crops	Foliar spray 0.25-0.5% solution (maximum 10 kg/ha)	Once monthly during season as required based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.

WARNING

Although this product has been extensively tested under a large variety of conditions, the manufacturer does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, and the environment or harm to man or animal or for lack of performance of the product concerned due to failure of the user to follow label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.



CAUTION
VERSIGTIG

