

Agra Activator™ 6

Reg. No. K10969 Act. No. 36 of 1947

A POWDER PLANT NUTRIENT / 'N POEIER PLANTVOEDINGSTOF

A fertilizer containing macro and micro-nutrients.

'n Voedingsprodukt wat makro- en mikro-elemente bevat.

FERTILIZER GROUP 1 / MISSTOF GROEP 1

PLANT NUTRIENT CONTENT / PLANT NUTRIENT INHOUD

N: 67 g/kg
 P: 117 g/kg
 K: 38 g/kg
 Mg: 78.8 g/kg
 S: 100 g/kg
 Fe: 5.5 g/kg

NET MASS

20 kg

NETTO MASSA

Batch number / Date of manufacturing:
 Lot nommer / Datum van vervaardiging:

REGISTRATION HOLDER / REGISTRASIEHOUER

AgraForUm South Africa (Pty) Ltd

Reg. no: 2004/022326/07

5 Ednau Small Holdings, Abrahamskraal road, Mooiwater, Bloemfontein, 9338

DISTRIBUTOR / VERSPREIDER

AgraForUm South Africa (Pty) Ltd

Reg. no: 2004/022326/07

P.O. Box 38910, Langenhoven Park, Bloemfontein, 9330

PRECAUTION

- Always wear appropriate personal protective equipment.
- Keep out of reach of children.
- Do not store mixed product.

GENERAL

- **Agra Activator™ 6** is a fertilizer intended as a supplement to normal fertilizer programs.
- Foliar spraying should preferably be done during the cooler periods of the day (ideal 20 °C; < 40°C), as well as when the relative humidity is on its highest (before 9 am in the morning and after 4 pm in the afternoon).
- Wind speed should be < 8 km/h.
- Do not apply to plants when plants are wilted or under stress.

APPLICATION RATES

CROPS	APPLICATION RATE	REMARKS
Row Crops	Foliar spray 1-5 kg/ha (aim to have maximum 1% concentration) Via irrigation system 1-10 kg/ha	Use minimum 200 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 400 L/ha). Apply at 3-8 leaf stage and repeat application as required (at least 2 weeks apart) based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.
Vegetable crops	Foliar spray 1-5 kg/ha (aim to have maximum 1% concentration) Via irrigation system 1-10 kg/ha	Use minimum 300 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 400 L/ha). Apply at 3-8 leaf stage and repeat application as required (at least 2 weeks apart) based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.
Fruit Tree crops	Foliar spray 0.1-1 kg/100 L water (maximum 10 kg/ha with maximum 1% concentration)	Once monthly during season as required based on soil and/or leaf analysis. Do not exceed nutrient requirement of the crop.

WARNING

Although this product has been extensively tested under a large variety of conditions, the manufacturer does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label as well as by the method, time, and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, and the environment or harm to man or animal or for lack of performance of the product concerned due to failure of the user to follow label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

