Reg. No. B5563 Act No.36 of 1947

LiQuiDo Zn

Read the label before use Keep out of reach of children and animals

LIQUID PLANT NUTRIENT A fertilizer containing zinc

FERTILIZER GROUP

NOT CLASSIFIABLE IN TERMS OF GHS

ACTIVE INGREDIENTS

Zn: 58 g/kg SG 1.23

25 L



REGISTRATION HOLDER
AgraForUm South Africa (Pty) Ltd | Reg., no: 2004/202236/07
P.O. Box 38910, Langenhoven Park, Bloemforten, 9330
mail@agraforum-sa.com

PRECAUTION

- Always wear appropriate personal protective equipment.
- · Keep out of reach of children.
- · Do not store mixed product.

GENERAL

- LiQuiDo Zn is a fertilizer intended as a supplement to normal fertilizer programs.
- Foliar spraying should preferably be done during the cooler periods of the day (ideal 20°C; < 40°C), as well as when the relative humidity is at its highest.
- Wind speed should be < 8 km/h.
- Do not apply to plants when plants are wilted or under stress.

COMPATIBILITY

- Always verify compatibility when mixed with other products (jar test as well as first spraying a small area to check for phytotoxicity).
- · Always test the product first on a small area to check for phytotoxicity especially if higher rates are used.

APPLICATION RATES

Crop	Application rate	Remark
Soil application		
General	1L-10L/ha	Apply as required based on soil and/or leaf analysis. Do not exceed the nutrient requirement of the crop.
Foliar application		
Row crops	Foliar spray 200 ml- 1 L/100 L water. (maximum 5 L/ha) Via irrigation system 4-12 L/ha. (maximum 12 L/ha)	Use minimum 200 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 500 L/ha). Apply at 3-8 leaf stage and repeat application as required (at least 7-14 days apart) based on soil and/or leaf analysis. Do not exceed the nutrient requirement of the crop.
Vegetable crops	Foliar spray 200 ml- 1 L/100 L water. (maximum 5 L/ha) Via irrigation system 4-12 L/ha. (maximum 12 L/ha)	Use minimum 300 L water/ha for foliar application. Better results might be obtained if a higher water rate is used (up to 500 L/ha). Repeat application as required (at least 7-14 days apart) based on soil and/or leaf analysis. Do not exceed the nutrient requirement of the crop.
Fruit Tree crops	Foliar spray 200 ml- 1 L/100 L water. (maximum 5 L/ha) Via irrigation system 4-12 L/ha. (maximum 12 L/ha)	Apply as required based on soil and/or leaf analysis. Repeat application as required (at least 7-14 days apart). Do not exceed the nutrient requirement of the crop.

WARNING

Although this product has been extensively tested under a large variety of conditions, the manufacturer does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, and the environment or harm to man or animal or for lack of performance of the product concerned due to failure of the user to follow label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.